

The **October 2020 AAMI Sterilization Standards** meetings will be held virtually (web/phone ONLY) during October 13-16 and 26-29. There will not be a formal registration process for these meetings, however, attendees are asked to sign into meetings using their full names. Web meeting details are provided below, organized by date. Members of the AAMI Sterilization Standards Committee and affiliated working groups that are meeting can also find the web meeting details in the “Events” area of respective group’s site in AAMI Committee Central.

Group members will need to download their respective groups’ meeting documents from AAMI Committee Central. Meeting agendas are publicly accessible, as AAMI standards committee and working group meetings are open to the public to observe.

For general questions or assistance, please contact [sterilization@aami.org](mailto:sterilization@aami.org).

### October 2020 Sterilization Standards Opening Plenary ([ST - Sterilization Standards Committee](#))

When: Oct 13, 2020 from 9:00 AM to 11:00 AM (ET)

---

[Join Microsoft Teams Meeting](#)

[+1 571-305-5282](tel:+15713055282) United States, Arlington (Toll)

Conference ID: 411 850 744#

[Local numbers](#) | [Reset PIN](#) | [Learn more about Teams](#) | [Meeting options](#)

Join with a video conferencing device

154925751@t.plcm.vc VTC Conference ID: 1146022313

[Alternate VTC dialing instructions](#)

---

### October 2020 Sterilization Standards New Participant Orientation ([ST - Sterilization Standards Committee](#))

When: Oct 13, 2020 from 11:00 AM to 12:00 PM (ET)

---

[Join Microsoft Teams Meeting](#)

[+1 571-305-5282](tel:+15713055282) United States, Arlington (Toll)

Conference ID: 927 377 787#

[Local numbers](#) | [Reset PIN](#) | [Learn more about Teams](#) | [Meeting options](#)

Join with a video conferencing device

154925751@t.plcm.vc VTC Conference ID: 1199404870

[Alternate VTC dialing instructions](#)

---

### [ST-WG 83 - Reusable surgical textiles processing WG](#)

When: Oct 13, 2020 from 1:00 PM to 5:00 PM (ET)

---

#### [Join Microsoft Teams Meeting](#)

[+1 571-305-5282](#) United States, Arlington (Toll)

Conference ID: 860 457 731#

[Local numbers](#) | [Reset PIN](#) | [Learn more about Teams](#) | [Meeting options](#)

Join with a video conferencing device

[154925751@t.plcm.vc](#) VTC Conference ID: 1147102648

[Alternate VTC dialing instructions](#)

---

### [ST-WG 15 - Assurance of Sterility](#)

When: Oct 14, 2020 from 9:00 AM to 12:00 PM (ET)

---

#### [Join Microsoft Teams Meeting](#)

[+1 571-305-5282](#) United States, Arlington (Toll)

Conference ID: 517 504 749#

[Local numbers](#) | [Reset PIN](#) | [Learn more about Teams](#) | [Meeting options](#)

Join with a video conferencing device

[154925751@t.plcm.vc](#) VTC Conference ID: 1199938582

[Alternate VTC dialing instructions](#)

---

### [ST-WG 01 - Industrial EO sterilization WG](#)

When: Oct 14, 2020 from 1:00 PM to 5:00 PM (ET)

---

#### [Join Microsoft Teams Meeting](#)

[+1 571-305-5282](#) United States, Arlington (Toll)

Conference ID: 475 359 121#

[Local numbers](#) | [Reset PIN](#) | [Learn more about Teams](#) | [Meeting options](#)

Join with a video conferencing device

[154925751@t.plcm.vc](#) VTC Conference ID: 1134024930

[Alternate VTC dialing instructions](#)

---

### [ST-WG 08 - Microbiological methods WG](#)

When: Oct 15, 2020 from 9:00 AM to 12:00 PM (ET)

---

#### [Join Microsoft Teams Meeting](#)

[+1 571-305-5282](#) United States, Arlington (Toll)

Conference ID: 642 149 049#

[Local numbers](#) | [Reset PIN](#) | [Learn more about Teams](#) | [Meeting options](#)

Join with a video conferencing device

154925751@t.plcm.vc VTC Conference ID: 1160647627

[Alternate VTC dialing instructions](#)

---

### [ST-WG 95 - Water quality for reprocessing medical devices](#)

When: Oct 15, 2020 from 1:00 PM to 5:00 PM (ET)

---

#### [Join Microsoft Teams Meeting](#)

[+1 571-305-5282](#) United States, Arlington (Toll)

Conference ID: 817 910 337#

[Local numbers](#) | [Reset PIN](#) | [Learn more about Teams](#) | [Meeting options](#)

Join with a video conferencing device

154925751@t.plcm.vc VTC Conference ID: 1178573135

[Alternate VTC dialing instructions](#)

---

### [ST-WG 96 - Compatibility of materials subj to sterilization](#)

When: Oct 16, 2020 from 9:00 AM to 12:00 PM (ET)

---

#### [Join Microsoft Teams Meeting](#)

[+1 571-305-5282](#) United States, Arlington (Toll)

Conference ID: 692 431 952#

[Local numbers](#) | [Reset PIN](#) | [Learn more about Teams](#) | [Meeting options](#)

Join with a video conferencing device

154925751@t.plcm.vc VTC Conference ID: 1170183329

[Alternate VTC dialing instructions](#)

---

[ST-WG 86 - Quality systems for device processing WG](#)

When: Oct 26, 2020 from 2:00 PM to 4:00 PM (ET)

---

[Join Microsoft Teams Meeting](#)

[+1 571-305-5282](#) United States, Arlington (Toll)

Conference ID: 376 999 386#

[Local numbers](#) | [Reset PIN](#) | [Learn more about Teams](#) | [Meeting options](#)

Join with a video conferencing device

154925751@t.plcm.vc VTC Conference ID: 1138301677

[Alternate VTC dialing instructions](#)

---

[ST-WG 84 - Endoscope reprocessing WG](#)

When: Oct 27, 2020 from 9:00 AM to 12:00 PM (ET)

---

[Join Microsoft Teams Meeting](#)

[+1 571-305-5282](#) United States, Arlington (Toll)

Conference ID: 597 771 463#

[Local numbers](#) | [Reset PIN](#) | [Learn more about Teams](#) | [Meeting options](#)

Join with a video conferencing device

154925751@t.plcm.vc VTC Conference ID: 1189874191

[Alternate VTC dialing instructions](#)

---

[ST-WG 61 - Chemical sterilants hospital practices WG](#)

When: Oct 28, 2020 from 1:00 PM to 3:00 PM (ET)

---

[Join Microsoft Teams Meeting](#)

[+1 571-305-5282](#) United States, Arlington (Toll)

Conference ID: 511 619 655#

[Local numbers](#) | [Reset PIN](#) | [Learn more about Teams](#) | [Meeting options](#)

Join with a video conferencing device

154925751@t.plcm.vc VTC Conference ID: 1129981694

[Alternate VTC dialing instructions](#)

---

AAMI October 2020 Sterilization Standards Closing Plenary and US TAG to ISO/TC 198  
Web Meeting ([ST - Sterilization Standards Committee](#) )

When: Oct 29, 2020 from 11:00 AM to 1:00 PM (ET)

---

[Join Microsoft Teams Meeting](#)

[+1 571-305-5282](#) United States, Arlington (Toll)

Conference ID: 500 065 489#

[Local numbers](#) | [Reset PIN](#) | [Learn more about Teams](#) | [Meeting options](#)

Join with a video conferencing device

154925751@t.plcm.vc VTC Conference ID: 1122097316

[Alternate VTC dialing instructions](#)

---